


# KOWA PROMINAR MFT LENSES



**KOWA PROMINAR 8.5mm** 


**F2.8** SUPERWIDE ANGLE LENS

## SPECIFICATION



PHYSICAL DIME	NSIONS	
Kowa 8.5mm f2.8		
Diameter	71.5mm	
Length	86.8mm	
Weight	440g	
Above figures exclude	lens hood	

#### **KEY FEATURES**



- 1. MFT mount
- 2. Dual link Iris button select silent or click aperture
- 3. Manual aperture ring
- 4. Manual focus ring
- 5. Aluminium alloy body
- 6. Kowa XD (ED) and aspherical lenses

### **KEY ADVANTAGES**

YEAR

WARRANTY

 Super wide angle lens with very low distortion - perfect for architecture, landscapes and wide angle cinematography.

CASE & LENS

HOOD

- Class leading high resolution and edge to edge sharpness
- Full aluminium body
- Fashionable retro design
- Smooth and click dual aperture use as photo or video lens

VWW.FALENS.COM.CN WWW.FALENS.CI




## KOWA PROMINAR **MFT** LENSES



## **KOWA PROMINAR 12mm**

F1.8 WIDE ANGLE LENS



- 2. Dual link Iris button select silent or click aperture
- 3. Manual aperture ring
- 4. Manual focus ring
- 5. Aluminium alloy body
- 6. Kowa XD (ED) and aspherical lens

SPECIFICATION	
	Kowa 12mm f1.8
Angle of view	74.9° (H) x59.6° (V) x86.8° (D)
F/T number	F1.8/T1.9
Filter thread	72mm (attach to lens hood)
Focal length	12mm (24mm MFT)
Iris	9 (circular aperture)
Lens construction	12 Elements in 10 Groups
Max projection ratio	1: 10

PHYSICAL DIMENSIONS		
Kowa 12mm f1.8		
Diameter	76.5mm	
Length	90.5mm	
Weight	475g	
Above figures exclude lens hood		

0.2m

Minimum focussing

distance

### **KEY ADVANTAGES**

- Wide angle lens with very low distortion - perfect for architecture, landscapes and wide angle cinematography.
- Class leading high resolution and edge to edge sharpness
- Full aluminium body
- Fashionable retro design
- Smooth and click dual aperture use as photo or video lens




# KOWA PROMINAR MFT LENSES



## **KOWA PROMINAR 25mm**

F1.8 STANDARD LENS



- 2. Dual link Iris button select silent or click aperture
- 3. Manual aperture ring
- 4. Manual focus ring
- 5. Aluminium alloy body
- 6. Kowa XD (ED) and aspherical lens

SPECIFICATION	
	Kowa 25mm f1.8
Angle of view	40.9° (H) x31.1° (V) x50.2° (D)
F/T number	F1.8/T1.9
Filter thread	55mm (attach to lens hood)
Focal length	25mm (50mm MFT)
Iris	9 (circular aperture)
Lens construction	8 Elements in 6 Groups
Max projection ratio	1: 6.5
Minimum focussing distance	0.25m

PHYSICAL DIME	NSIONS
Kowa 25mm f1.8	
Diameter	60mm
Length	94mm
Weight	400g
Above figures exclude	lens hood

### KEY ADVANTAGES

WARRANTY

 Wide aperture standard lens ideal for portraits and creative photo/video

HOOD

- Class leading high resolution and edge to edge sharpness
- Full aluminium body
- Fashionable retro design
- Smooth and click dual aperture use as photo or video lens

WWW.FALENS.COM.CN WWW.FALENS.C




Image: Robert Wilton | Kowa 8.5mm MFT

WWW.FALENS.COM.CN WWW.FALENS.CN

Image: Robert Wilton | Kowa 12mm MFT



Image: Robert Wilton | Kowa 25mm MFT